

LINEUP

SCREEN



LINEUP SCREEN

With twice the display area, the LINEUP screen 230 double turns a slim stand into a stage for digital signage. One power cable supplies the whole system. Content is uploaded via USB or an online CMS. Videos, key visuals and brand worlds merge into one consistent experience at trade shows, in the showroom and at the point of sale.

KEY FEATURES

UP TO 16,7 MILLION COLOURS



01 2x DIGIUP DISPLAYS

Both 49-inch portrait screens are designed for 24/7 operation and reach up to 700 nits.



02 SYNCHRONISED PLAYBACK

With DIGIUP MUDI software, the two screens form one pixel-perfect image across the full height.



03 TOUGHENED GLASS

A 3 mm pane protects each screen against mechanical impact.



04 FORMAT

Product dimensions (W x H x D): 73,3 x 232,8 x 50 cm – compatible with the LINEUP Collection.



05 TOOL-FREE ASSEMBLY

Push-fit, not screwed: the profiles slot together quickly and precisely.



06 RGB LED LIGHTING

Integrated LEDs in the frame edge shine statically or dynamically in up to 16,7 million colours.



07 EASY TRANSPORT

All components travel in wheeled ABS hard-shell cases with custom-cut foam inlays.






08 INTEGRATED SOUND

Four built-in 5 W speakers, each with its own audio channel, play sound directly on the unit.





09 FABRIC PANEL

An optional fabric print on the back carries an additional message and is quick to swap.



LINEUP SCREEN



PRODUCT DIMENSIONS

W x H x D

73,3 x 232,8 x 50 cm (incl. base)



SHIPPING WEIGHT

98 kg



FRAME SIZE

W x H x D

73,3 x 230,3 x 8,6 cm



POWER CONSUMPTION

240 W - 10 A (24V)



MATERIAL | COLOUR

aluminium | silver anodised



RATED VOLTAGE

220-240 V



SCREEN

Diagonal | Resolution

49 inch | 1080 x 1920 pixels



RGB COLOUR SPACE

frame

16,7 million colours



BRIGHTNESS

700 cd/m²



CERTIFICATES

TÜV, CE, LVD, EMC, RoHS