


LINEUP

STELE





LINEUP STELE

The LINEUP Stele is the slim portrait format of the collection: on its own as an eye-catcher in the room or as part of a larger stand architecture. The fabric print is inserted from behind, with a separate graphic for front and back on request. With shelves and a TV mount, it becomes a display point for products, brochures and digital content.

KEY FEATURES



01 TOOL-FREE ASSEMBLY

Push-fit, not screwed: the profiles slot together quickly and precisely.



02 ANODISED ALUMINIUM

UV-resistant frame in silver anodised aluminium – timeless in appearance and robust in use.



03 EASY TRANSPORT

All components travel in a wheeled ABS hard-shell case with custom-cut foam inlays.



04 SIZES

The Stele is 100 cm wide and, at 200, 250 or 300 cm, as tall as the LINEUP frames.



05 RGB LED LIGHTING

Integrated LEDs in the frame edge shine in static or dynamic mode in up to 16,7 million colours.





06 2,4 GHZ REMOTE

Colour, saturation, brightness and mode are controlled wirelessly, separately for up to six zones.



ONE STELE, THREE HEIGHTS.

100 cm wide · starter module 100 × 200 cm, extended with extension module VE-50 or VE-100 · as tall as the LINEUP frames




07 STURDY PROFILE CONNECTORS

Hardened steel pins in maintenance-free PTFE bushings keep the frame rigid.



08 V-LOCK SYSTEM


Feet and profile connectors click into place via the patented V-Lock and stay securely in position.



09 INTEGRATED POWER

Pogo-pin contacts replace the cables between the frame parts – for a reliable power supply.

LINEUP STELE



		LINE-stele-100-200	LINE-stele-100-250	LINE-stele-100-300
	PRODUCT SIZE W x H x D (in cm)	100 x 202,5 x 50	100 x 252,5 x 50	100 x 302,5 x 50
	FRAME SIZE W x H (in cm)	100 x 200	100 x 250	100 x 300
	LED COLOUR	16,7 million colours	16,7 million colours	16,7 million colours
	POWER DRAW	59 W	68 W	77 W
	VOLTAGE	220-240 V	220-240 V	220-240 V
	SHIP. WEIGHT	30 kg	34 kg	36 kg
	FINISH	aluminium silver (anodised)	aluminium silver (anodised)	aluminium silver (anodised)
	CERTIFICATES	TÜV, CE, LVD, EMC, RoHS	TÜV, CE, LVD, EMC, RoHS	TÜV, CE, LVD, EMC, RoHS