MINI LEDUP



MINI LEDUP

MINI LEDUP showcases printed visuals with powerful brightness – even where there is no room for larger displays. In shop windows or retail spaces, it creates targeted light accents. For a striking presence in just a few simple steps.

KEY FEATURES

01
TOOL-FREE ASSEMBLY
The frame parts slot together quickly via the patented connection system.

02
ANODISED ALUMINIUM
UV-resistant silver frame with a restrained look that puts the graphic in the foreground.

03
SLIM PROFILE
A frame depth of just 80 mm, smooth edges and barely visible connectors keep the design uncluttered.

04
EASY TRANSPORT
Lightweight, reusable cardboard packaging with foam inlay for safe transport.

05
COMPACT FORMAT
A 50 x 150 cm frame with an overall height of 151,7 cm and a depth of 38 cm.

06
EVEN LIGHTING
OSRAM LED technology with lens optics illuminates the graphic without shadows.

RoHS CE

TECHNICAL DATA

MINI LEDUP



PRODUCT DIMENSIONS
W x H x D
50 x 151,7 x 38 cm

FRAME SIZE
W x H x D
50 x 150 x 8 cm

COLOUR TEMPERATURE
6500 K

RATED VOLTAGE
220–240 V

POWER CONSUMPTION
21,5 W - 0,1 A (24V)

SHIPPING WEIGHT
6,9 kg

PACKING DIMENSIONS
W x H x D
114 x 20 x 9 cm

SCOPE OF DELIVERY
1x cardboard box

MATERIAL | COLOUR
aluminium | silver anodised

CERTIFICATES
CE, RoHS